

Report Details

Report Location	C:\Users\Didattica\Desktop\chim_fis_2\2015\la9\CO_2.pdf
Report Creator	user
Report Date	Monday, May 25, 2015 2:25 PM

Sample Details

Sample Name	2
Sample Description	Sample 070 By ir Date Monday, May 25 2015
Analyst	user
Creation Date	5/25/2015 2:08:46 PM
X-Axis Units	cm-1
Y-Axis Units	A

Instrument Details

Instrument Model	Spectrum Two
Instrument Serial Number	100169
Software Revision	NIOS2 Main 00.02.0064 29-November-2013 10:09:27
Number of Scans	9
Resolution	0.5

Instrument Details (Full)

Instrument Model	Spectrum Two
Instrument Serial Number	100169
Software Revision	NIOS2 Main 00.02.0064 29-November-2013 10:09:27
Number of Scans	9
Resolution	0.5
Detector	MIR TGS
Source	MIR
Beamsplitter	OptKBr
Apodization	Medium
Spectrum Type	Spectrum
Beam Type	Ratio
Phase correction	Self
Scan Speed	0.2
IGram Type	Single
Scan Direction	Combined
Zero Crossings	0
JStop	3.16
IR-Laser Wavenumber	11750.00
Manufacturer	L1600217

Part Number L1600217
Description Sample base plate assy (non RFID)
Default Scan Range / cm-1 4000 450
Temperature / °C Not Specified
Accessory Type Slide Holder
Slide Holder Option MIR
Crystal Type Not Specified

Accessory

Manufacturer L1600217
Part Number L1600217
Description Sample base plate assy (non RFID)
Default Scan Range / cm-1 4000 450
Temperature / °C Not Specified
Accessory Type Slide Holder
Slide Holder Option MIR
Crystal Type Not Specified

Quality Checks


Water Vapor Passed
Carbon Dioxide Passed
Baseline Low Passed
Baseline High Passed
Baseline Slope Passed
Strong Bands Passed
Weak Bands Passed
High Noise Passed
Fringes Passed
Vignetting Passed
Blocked Beam Passed
Negative Bands Passed
Zero Transmission Passed
Stray Light Passed
Window Cutoff Passed

History

Who	What	When	Parameters	Comment
user	Created as New Dataset	5/25/2015 2:08:46 PM		Sample 070 By ir Date Monday, May

Who	What	When	Parameters	Comment
				25 2015
user	Atmospheric Correction	5/25/2015 2:08:46 PM		
user	Absorbance	5/25/2015 2:08:46 PM	"Channel:1", "Result.sp"	

Spectrum



Name	Description
2	Sample 070 By ir Date Monday, May 25 2015

Summary

Sample Name	Description	Quality
2	Sample 070 By ir Date Monday, May 25 2015	The Quality Checks do not report any warnings for the sample.